

Index

Note: Page numbers of article titles are in **boldface** type.

A

- Abdominal abscess, radiography in, 797–798
- Abortion, spontaneous, in infections, 526–527
- Abscess, radiography in
 abdominal, 797–798
 brain, 793
 epidural, 792–793
 psoas, 799–800
- Acute respiratory distress syndrome, in
 pyelonephritis, 759
- Acyclovir
 for herpes simplex virus infections,
 634–635, 663–665
 for varicella, 685–687
- Amantadine, for influenza, 730–731
- Amniocentesis
 for bacterial culture, 585, 589
 in cytomegalovirus infections, 677
- Amnionitis. *See* Intra-amniotic infections.
- Amoxicillin
 for *Chlamydia trachomatis*
 infections, 639
 for neonatal sepsis prevention, 609
- Amoxicillin-clavulanate, for neonatal sepsis
 prevention, 609–610
- Ampicillin
 for intra-amniotic infections, 593–594
 for neonatal sepsis prevention, 607
 for pyelonephritis, 756
- Ampicillin-sulbactam
 for endometritis, 810, 812
 for intra-amniotic infections, 593
- Amsel's criteria, for bacterial vaginosis,
 643–644
- Anaerobic infections, intra-amniotic, 593
- Analgesia, epidural. *See* Epidural analgesia.

- Anemia, fetal, in human parvovirus B19
 infections, 701–703
- Angiography, in infections, radiation exposure
 in, 790–791
- Anthrax, 770–771
- Antibiotics
 for endometritis, 810–812
 for intra-amniotic infections, 593–594
 for neonatal sepsis prevention, 604–611
 for preterm birth prevention, 580–588
 for urinary tract infections, 751–753,
 756–758
 resistance to, in group B
 streptococci, 611
- Antibody(ies), to *Toxoplasma gondii*, testing
 for, 711–717
- Appendicitis, radiography in, 795–796
- Asphyxia, in intra-amniotic infections, 595
- Avidity test, in toxoplasmosis, 715–716
- Azithromycin
 for chancroid, 636
 for *Chlamydia trachomatis*
 infections, 639
 for gonorrhea, 637
 for lymphogranuloma venereum, 640
 for syphilis, 630

B

- Bacteremia
 gonococcal, 638
 in pyelonephritis, 758
- Bacterial vaginosis, **617–627**
 diagnosis of, 618–620, 643–644
 epidemiology of, 618
 historical review of, 617–618
 microbiology of, 618, 643
 preterm birth in, 541, 574

- screening for, 620–621
treatment of, 581–582, 621–624,
644–645
- Bacteriuria, asymptomatic, 582, 749–753
- Bacteroides* infections
bacterial vaginosis, 618
stillbirth in, 528
- Benzathine penicillin G, for syphilis, 630–631
- Betamethasone, for fetal lung maturation, 585
- Bichloroacetic acid, for human papillomavirus
infections, 641
- Bioterrorism, 770–773
- Bladder, infection of, 750, 753–754
- Blastomycosis, 734
- Blood culture
in endometritis, 808
in pyelonephritis, 755–756
- Borreliosis, stillbirth in, 530
- Botulism, 772
- Brain abscess, radiography in, 793
- C**
-
- Candidiasis, 528, 645–647
- Cefazolin
for group B streptococcal infections, 583,
611
for neonatal sepsis prevention, 607
for pyelonephritis, 756
- Cefixime, for gonorrhea, 637
- Ceftriaxone
for chancroid, 636
for gonorrhea, 637–638
for pyelonephritis, 756, 758
for syphilis, 630
- Cell culture, in herpes simplex virus
infections, 659
- Central nervous system infections, radiography
in, 792–793
- Cephalexin, for asymptomatic bacteriuria, 753
- Cephalosporins, for asymptomatic bacteriuria,
751, 753
- Cerebral palsy, in infections, 532–534,
595–596
- Cesarean delivery, in herpes simplex virus
infections, 635–636, 662–663
- Chagas disease, stillbirth in, 530
- Chancroid, 636
- Chest infections, radiography in, 793–794
- Chickenpox. *See* Varicella-zoster
virus infections.
- Chlamydia trachomatis* infections
maternal, 638–640
preterm birth in, 542
treatment of, 581
neonatal, 543, 549, 638–640
- Chlorhexidine, for neonatal sepsis
prevention, 610
- Cholecystitis, radiography in, 794–795
- Chorioamnionitis, 525–526
cerebral palsy in, 533–534
complications of, 592–593
definition of, 584, 591
diagnosis of, 524–525, 591
fever in, 782–783
preterm birth in, 538
risk factors for, 591
stillbirth in, 527–529
treatment of, 593–596
- Chorioretinitis, toxoplasmic, 710, 720–721
- Ciprofloxacin
for anthrax, 771
for tularemia, 772
- Clindamycin
for bacterial vaginosis, 621–622, 645
for endometritis, 810, 812
for group B streptococcal infections,
583, 611
for intra-amniotic infections, 593
for neonatal sepsis prevention, 607
- Clostridium botulinum* toxin, 772
- Clotrimazole, for candidiasis, 646–647
- Clue cells, in bacterial vaginosis, 619, 644
- Coccidioidomycosis, 734–735
- Computed tomography
in abdominal abscess, 798
in appendicitis, 796
in empyema, 794
in infections, radiation exposure in, 790
in liver infections, 794
in pancreatitis, 796–797
in pelvic abscess, 798
in pyelonephritis, 799
in septic thrombophlebitis, 800
- Congenital anomalies, in infections, 535–536
influenza, 730
varicella, 687–688

- Congenital infections. *See* Neonates, infections in.
- Contrast agents, for radiography, 791
- Corticosteroids
for fetal lung maturation, 585–586
for neonatal sepsis prevention, 609
- Coxiella burnetii* infections, stillbirth in, 530
- Coxsackievirus infections, stillbirth in, 530
- Crab lice, 648–649
- Cranberry juice, for urinary tract infections, asymptomatic bacteriuria, 752
- Cryotherapy, for human papillomavirus infections, 641
- Cryptococcosis, 734
- Culture
amniotic fluid, 585, 589
blood
in endometritis, 808
in pyelonephritis, 755–756
in bacterial vaginosis, 619
in cytomegalovirus infections, 673
in herpes simplex virus infections, 659
in varicella, 684
urine
in bacteriuria, 750–751
in pyelonephritis, 755
- Cystitis, 750, 753–754
- Cytokines, in infections, cerebral palsy and, 534
- Cytomegalovirus infections
maternal, 671–681
clinical presentation of, 672–673
diagnosis of, 673–675
epidemiology of, 671–672
latent, 672
prevention of, 680–681
stillbirth in, 530
transmission of, 675–677
treatment of, 679–680
virology of, 672
neonatal, 549, 675–679

D

- Death
fetal, in human parvovirus B19 infections, 701
neonatal
in herpes simplex virus infections, 662
in maternal infections, 529, 531
in sepsis, 603

- Debridement, in endometritis, 809
- Differential agglutination test, in toxoplasmosis, 713, 715
- Doxycycline
for anthrax, 771
for syphilis, 630–631
- Dye test, in toxoplasmosis, 713–714

E

- Ebola fever, 773
- Echocardiography
in endocarditis, 794
in pericarditis, 794
- Echovirus infections, stillbirth in, 530
- Empyema, radiography in, 794
- Encephalitis
herpes simplex virus, 662
varicella, 684
West Nile virus, 766–767
- Endocarditis, radiography in, 794
- Endometritis, postpartum, **803–814**
clinical presentation of, 806–809
diagnosis of, 806–809
epidemiology of, 804
incision infections with, 803, 808–809
microbiology of, 804–806
pathophysiology of, 804–806
risk factors for, 804
spectrum of, 803
treatment of, 810–812
- Enterococcal infections
neonatal, 602
stillbirth in, 531
- Enzyme immunoassay, in human parvovirus B19 infections, 698–699
- Enzyme-linked immunosorbent assay
in herpes simplex virus infections, 633, 659–660
in toxoplasmosis, 713–715
- Epidural abscess, radiography in, 792–793
- Epidural analgesia, fever in, **777–787**
mechanisms of, 779–781
neonatal effects of, 783–785
normal temperature regulation and, 778–779
versus infectious fever, 781–783
with labor-related heat production, 779
- Epstein-Barr virus infections, 681–683

Erythromycin
 for bacterial vaginosis, 621, 644
 for chancroid, 636
 for *Chlamydia trachomatis* infections, 581, 639
 for lymphogranuloma venereum, 640
 for neonatal sepsis prevention, 607, 609
 for pneumococcal pneumonia, 732
 for streptococcal group B infections, 580–581
 for *Urea urealyticum* infections, 581

Escherichia coli infections
 neonatal, 602
 stillbirth in, 528, 531
 urinary tract, 750–751, 756

Ethambutol, for tuberculosis, 743–745

F

Famciclovir, for herpes simplex virus infections, 665

Fetus
 human parvovirus B19 infections in, 698–699, 701
 syphilis in, 631–632

Fever
 in endometritis, 807
 in epidural analgesia, 777–787
 mechanisms of, 779–781
 neonatal effects of, 783–785
 normal temperature regulation and, 778–779
 versus infectious fever, 781–783
 with labor-related heat production, 779
 pathophysiology of, 778–779

Fluconazole, for candidiasis, 647

Fluorescent antimembrane antibody test, in varicella, 684–685

Fluorescent treponemal antibody absorption test, for syphilis, 630

Fluoroscopy, in infections, radiation exposure in, 790–791

Folic acid, for toxoplasmosis, 719–720, 722

Foscarnet, for cytomegalovirus infections, 679–680

Francisella tularensis infections, 772

Fungal infections
 pneumonia, 734–735
 stillbirth in, 528

Funisitis, in systemic fetal inflammatory syndrome, 596

Fusobacterium nucleatum infections, preterm birth in, 565

G

Gallbladder disease, radiography in, 794–795

Ganciclovir, for cytomegalovirus infections, 679

Gardnerella vaginalis infections. *See* Bacterial vaginosis.

Genital herpes infections. *See* Herpes simplex virus infections.

Genital warts, 640–641

Gentamicin
 for endometritis, 810, 812
 for intra-amniotic infections, 593
 for plague, 772
 for pyelonephritis, 756
 for tularemia, 772

Gestational age
 determination of, in preterm labor, 583–584
 versus maternal infection, 538
 versus neonatal morbidity, 577–578

Gingivitis, preterm birth in, 563–567

Glucose, in amniotic fluid, in infections, 590

Glycoprotein G, antibodies to, in herpes simplex virus infections, 633, 659

Gonorrhea, 542, 636–638

Gram's stain
 in bacterial vaginosis, 619–620
 of amniotic fluid, 590

Growth retardation, in infections, 536

H

Haemophilus ducreyi infections (chancroid), 636

Heat production and loss, in labor, 779

Hemorrhagic fevers, viral, 773

Hepatitis, viral, radiography in, 794

Hepatobiliary infections, radiography in, 794–795

Herpes simplex virus infections
 maternal, 632–636, 657–670
 clinical spectrum of, 660
 diagnosis of, 659–660
 differential diagnosis of, 659
 epidemiology of, 657

- recurrent, 660
 - transmission of, 657–659
 - treatment of, 662–665
 - vaccines for, 666–667
 - viral shedding in, 658
 - neonatal, 549, 635–636
 - clinical spectrum of, 662
 - prenatal prevention of, 662–665
 - transmission of, 658–659, 661–662
 - vaccines for, 666–667
 - Herpes zoster, 684, 689
 - Heterophile antibody test, in Epstein-Barr virus infections, 681–682
 - Histoplasmosis, 734
 - Human immunodeficiency virus infection
 - Pneumocystis carinii* pneumonia in, 733
 - stillbirth in, 530
 - toxoplasmosis in, 720
 - tuberculosis in, 741–742
 - Human papillomavirus infections, 640–641
 - Human parvovirus B19 infections, **697–704**
 - diagnosis of, 698–700
 - epidemiology of, 697
 - natural history of, 698
 - pathogenesis of, 698
 - prenatal diagnosis of, 701–703
 - stillbirth in, 530
 - treatment of, 699, 701
 - Hydrops, fetal, in human parvovirus B19 infections, 698–699, 701
 - Hyperthermia
 - fetal, in maternal infections, 594–595
 - maternal, in epidural-related fever, 780–781
 - neonatal, in epidural-related fever, 783–785
-
- I**
- Immunoblot tests, in herpes simplex virus infections, 633, 660
 - Immunoglobulin, varicella-zoster, for varicella, 685
 - Immunosorbent agglutination assay, in toxoplasmosis, 721
 - Infections, maternal. *See* Maternal infections.
 - Infectious mononucleosis, 681–683
 - Influenza, 727–731, 733
 - Intra-amniotic infections, 588–596
 - cerebral palsy in, 533–534
 - chronic, 538–539
 - clinical, 591–593. *See also* Chorioamnionitis.
 - complications of, 592–593
 - definition of, 584, 591
 - diagnosis of, 524–525, 592
 - epidemiology of, 591
 - growth retardation in, 536
 - mechanisms of labor precipitation in, 539–540
 - mental retardation in, 535
 - organisms causing, 539–541
 - preterm birth in, 536–539
 - risk factors for, 591
 - stillbirth in, 527–529
 - subclinical, 588–591
 - treatment of, 593–596
 - types of, 525–526
 - Intrapartum fever. *See* Intra-amniotic infections.
 - Intravenous pyelography, in pyelonephritis, 757, 798
 - Intraventricular hemorrhage, in infections, 533–534
 - Isoniazid, for tuberculosis, 743–745
-
- J**
- Jarisch-Herxheimer reaction, in syphilis therapy, 631
-
- K**
- Kidney, infections of, 750, 754–760, 798–799
 - Klebsiella* infections, stillbirth in, 531
-
- L**
- Lactobacillus*, in vaginal ecosystem, 806
 - Lassa fever, 773
 - Leptospirosis, stillbirth in, 530
 - Leukocyte esterase test, of amniotic fluid, 590
 - Lice, pubic, 648–649
 - Listeriosis, stillbirth in, 528
 - Liver infections, radiography in, 794–795
 - Lyme disease, stillbirth in, 530
 - Lymphocytic choriomeningitis, stillbirth in, 530

Lymphocytosis, in cytomegalovirus infections, 672

Lymphogranuloma venereum, 640

M

Magnetic resonance imaging

- in abdominal abscess, 798
- in appendicitis, 796
- in central nervous system infections, 792–793
- in infections, 791
- in liver infections, 794
- in pancreatitis, 797
- in pelvic abscess, 798
- in psoas abscess, 799–800
- in septic thrombophlebitis, 800

Malaria

- growth retardation in, 536
- stillbirth in, 530

Marburg fever, 773

Maternal infections. *See also specific infections.*

- abdominal abscess, 797–798
- adverse outcomes of, **523–559**
 - cerebral palsy, 532–534, 595–596
 - chronicity of infections and, 538–539
 - congenital structural anomalies, 535–536, 687–688, 730
 - diagnosis and, 524
 - early loss, 526–527
 - growth retardation, 536
 - in bacterial vaginosis, 541, 574
 - in non-genital tract infections, 542–543
 - in sexually transmitted infections. *See Sexually transmitted infections.*
 - in viral infections, 543
 - long-term disability, 532
 - measurement of, 524
 - mental retardation, 534–535, 760
 - neonatal death, 529, 531, 603, 662
 - organisms and, 539–541
 - post-neonatal death, 531
 - preterm birth. *See Preterm birth, in infections.*
 - psychiatric disorders, 535
 - stillbirth, 527–530
 - transmission and, 524, 544–551
 - versus gestational age, 538
 - versus types of infections, 543–544
- anthrax, 770–771
- appendicitis, 795–796
- bacterial vaginosis. *See Bacterial vaginosis.*

central nervous system, 792–793

chest, 793–794

cytomegalovirus, 671–681

diagnosis of, radiography in, **789–802**

emerging, **765–776**

Epstein-Barr virus, 681–683

fever in, versus epidural anesthesia fever, **777–787**

hepatobiliary, 794–795

human parvovirus B19, 530, **697–704**

in bioterrorism, 770–773

influenza, 727–731, 733

intrauterine. *See Intra-amniotic infections.*

monkeypox, 767–768

musculoskeletal, 799–800

neonatal sepsis in, **601–615**

pancreatitis, 796–797

pelvic abscess, 797–798

pneumonia. *See Pneumonia.*

postpartum endometritis, **803–814**

preterm birth in. *See Preterm birth, in infections.*

preterm premature rupture of membranes in, 572, 574, 578, 587–588, 661

septic thrombophlebitis, 800–801

severe acute respiratory syndrome, 530, 543, 734, 768–769

sexually transmitted. *See Sexually transmitted infections.*

smallpox, 530, 771–772

thoracic, 793–794

toxoplasmosis, **705–726**

transmission of

- adverse outcomes of, 549
- routes of, 524
- timing of, 524–547
- to fetus and newborn, 547–548

tuberculosis, **739–747**

urinary tract, **749–764**, 798–799

varicella-zoster virus, 530, 683–690, 733

West Nile virus, 766–767

Measles, stillbirth in, 530

Mental retardation, in maternal infections, 534–535, 760

Metronidazole

- for bacterial vaginosis, 621–622, 644
- for endometritis, 810, 812
- for intra-amniotic infections, 594
- for trichomoniasis, 581, 642

Mezlocillin, for pyelonephritis, 756

Miconazole, for candidiasis, 646

Middle cerebral artery, blood flow measurement in, in human parvovirus B19 infections, 701–703

Miliary tuberculosis, 741–742

Mobiluncus infections, bacterial vaginosis, 618
 Molluscum contagiosum, 647
 Monkeypox, 767–768
 Monospot test, in Epstein-Barr virus infections, 682–682
 Mumps, stillbirth in, 530
 Musculoskeletal infections, radiography in, 799–800
Mycoplasma infections
 bacterial vaginosis, 618
 preterm birth in, 538–539
 stillbirth in, 528
 Myopathy, in influenza, 729–730

N

Necrotizing fasciitis, 809
Neisseria gonorrhoeae infections, 542, 636–638
 Neonatal sepsis, **601–615**
 burden of, 601–603
 early-onset, 601–602
 late-onset, 602
 pathogens causing, 602–603
 prevention of, 604–611
 group B streptococcal vaccine for, 605, 608
 intrapartum antibiotic prophylaxis for, 604–611
 non-group B streptococcal, 608–609
 postnatal penicillin for, 605
 preterm labor and, 609–610
 unintended consequences of, 610–611
 vaginal antiseptics for, 610
 risk factors for, 603–604
 Neonates
 death of, in infections, 529, 531, 603, 662
 hyperthermia in, in epidural-related fever, 783–785
 infections in, 543–549, 594–595.
 See also Neonatal sepsis.
 Chlamydia trachomatis, 638–639
 cytomegalovirus, 549, 675–679
 Epstein-Barr virus, 683
 gonorrhea, 637
 toxoplasmosis, 707–710, 717–718, 721–724
 tuberculosis, 742
 varicella, 687–689, 733
 Neurologic disorders
 in cytomegalovirus infections, 676

in herpes simplex virus infections, 662
 in intra-amniotic infections, 595–596
 in preterm infants, 577

Nitrofurantoin
 for pyelonephritis, 758
 for urinary tract infections, asymptomatic bacteriuria, 751, 753
 Nontreponemal tests, for syphilis, 630
 Nuclear medicine, in infections, 791–792
 Nucleic acid amplification tests, in gonorrhea, 637
 Nugent scoring system, for bacterial vaginosis, 620

O

Ophthalmia neonatorum, 639
 Oral infections, preterm birth in, 563–567
 Oseltamivir, for influenza, 730–731

P

Pancreatitis, radiography in, 796–797
 Parvovirus infections. *See* Human parvovirus B19 infections.
 Pediculosis pubis, 648–649
 Pelvic abscess, radiography in, 797–798
 Penicillin
 for gonorrhea, 637
 for group B streptococcal infections, 583
 for neonatal sepsis prevention, 605, 607
 Penicillin G, for syphilis, 630–631
 Pentamidine, for *Pneumocystis carinii* pneumonia prevention, 733
 Pericarditis, radiography in, 794
 Periodontal disease, preterm birth in, 563–567
 Periventricular leukomalacia, in infections, 534
 Permethrin
 for pediculosis pubis, 649
 for scabies, 648
 Piperacillin, for pyelonephritis, 756
 Piperacillin-tazobactam, for endometritis, 810, 812
 Placental infections, 528, 540
 Plague, 772

- Plain films, in infections, radiation exposure in, 790–791
- Pneumococcal pneumonia, 732
- Pneumocystis carinii* pneumonia, 733
- Pneumonia, 731–735
 bacterial, 732–733
 fungal, 734–735
 influenza, 729
 radiography in, 793–794
 varicella, 684, 686–687
 viral, 733–734
- Poliomyelitis, stillbirth in, 530
- Polymerase chain reaction
 in cytomegalovirus infections, 675, 677–678
 in Epstein-Barr virus infections, 682
 in herpes simplex virus infections, 659
 in toxoplasmosis, 717–718
 in varicella, 684
- Postpartum endometritis. *See* Endometritis, postpartum.
- Preconceptual care, for preterm birth prevention, 578–579
- Pregnancy, maternal infections in. *See* Maternal infections.
- Preterm birth
 economic impact of, 576–577
 epidemiology of, 561–562
 in infections, 536–540, **571–600**
 bacterial vaginosis, 541, 574, 672–674
 chronicity and, 538–539
 etiology of, 571–575
 gestational age and, 538
 herpes simplex virus, 661
 mechanisms of, 539–540
 neonatal death in, 529
 non-genital tract, 542–543
 oral, 563–567
 organisms causing, 539–541
 pathophysiology of, **561–569**
 periodontal, 563–567
 preconceptual preventive care in, 578–579
 prevention of, 578–588, 609–610
 problem of, 575–578
 risk factors for, 579–580
 sexually transmitted, 542
 viral, 543
 problem of, 575–578
 statistics on, 575–578
- Preterm labor, diagnosis of, 584
- Preterm premature rupture of membranes
 antibiotics for, 587–588
 in infections, 572, 574, 578, 661
- Prevotella* infections, bacterial vaginosis, 618
- Progesterone, in immune response control, 573–574
- Psoas abscess, radiography in, 799–800
- Psychiatric disorders, in maternal infections, 535
- Pubic lice, 648–649
- Pyelonephritis, 750, 754–760, 798–799
- Pyrazinamide, for tuberculosis, 744
- Pyrimethamine/sulfadiazine/folinic acid, for toxoplasmosis, 719–720, 722
-
- Q**
-
- Q fever, stillbirth in, 530
-
- R**
-
- Radiography, in infections, **789–802**
 abdominal abscess, 797–798
 appendicitis, 795–796
 central nervous system, 792–793
 chest, 793–794
 contrast agents for, 791
 hepatobiliary, 794–795
 modalities for, 790–792
 musculoskeletal, 799–800
 pelvic abscess, 797–798
 septic thrombophlebitis, 800
 urinary tract, 798–799
- Rifampin, for tuberculosis, 743–745
- Rimantadine, for influenza, 730–731
- Rubella, stillbirth in, 528, 530
- Rubeola, stillbirth in, 530
-
- S**
-
- Scabies, 647–648
- Schizophrenia, in maternal infections, 535
- Sepsis, neonatal. *See* Neonatal sepsis.
- Septic shock, in pyelonephritis, 759–760
- Septic thrombophlebitis, radiography in, 800
- Set point, for thermoregulation, 778–779

- Severe acute respiratory syndrome, 734, 768–769
 preterm birth in, 543
 stillbirth in, 530
- Sexually transmitted infections, **629–656**.
See also specific infections.
 epidemiology of, 579
 preterm birth in, 542
 testing for, 579–580
- Shingles (herpes zoster), 684, 689
- Shock, septic, in pyelonephritis, 759–760
- Smallpox, 530, 771–772
- Spectinomycin, for gonorrhea, 637
- Spiegel criteria, for bacterial vaginosis, 619–620
- Spiramycin, for toxoplasmosis, 718–719, 722
- Staphylococcus aureus* infections
 endometritis, 806
 neonatal, 602
- Stillbirth, in infections, 527–529
- Streptococcal infections
 endometritis, 806
 group B
 neonatal, 529, 603–608, 611
 prevention of, 581–582
 stillbirth in, 531
 treatment of, 580–581
 vaccine for, 605, 608
- Streptococcus agalactiae* infections, endometritis, 803, 806–807
- Streptococcus pneumoniae* infections, pneumonia, 732
- Streptococcus pyogenes* infections, endometritis, 803, 806–807
- Streptococcus viridans* infections, neonatal, 602
- Sulfadiazine, for toxoplasmosis, 719–720, 722
- Syphilis, 629–632
 growth retardation in, 536
 neonatal, 549
 stillbirth in, 530
- Systemic fetal inflammatory syndrome, 596
- T**
-
- T lymphocytes, in cytomegalovirus infections, 672
- Tachycardia, fetal, in maternal infections, 594–595
- Temperature, regulation of, 778–779
- Terconazole, for candidiasis, 646
- Thoracic infections, radiography in, 793–794
- Thrombocytopenia, fetal, in human parvovirus B19 infections, 703
- Thrombophlebitis, septic, radiography in, 800
- Ticarcillin-clavulanate, for intra-amniotic infections, 593
- Tick-borne relapsing fever, stillbirth in, 530
- Tinidazole, for trichomoniasis, 642–643
- Tocolytics
 for preterm labor, 584–587
 for preterm premature rupture of membranes, 587
- Toll receptors, in pregnancy, 573
- TORCH syndrome, 710
- Toxoplasma* serological profile, 713, 716
- Toxoplasmosis
 maternal, **705–726**
 asymptomatic, 709
 clinical manifestations of, 709–710
 diagnosis of, 710–717
 epidemiology of, 708–709
 organism causing, 706–707
 pathogenesis of, 707
 prevention of, 712, 723–724
 stillbirth in, 530
 transmission of, 707–709
 treatment of, 717–721
 neonatal
 clinical features of, 710
 epidemiology of, 708–709
 prenatal diagnosis of, 717–718
 prevention of, 723–724
 transmission to, 707
 treatment of, 721–723
- Treponema pallidum* infections. *See* Syphilis.
- Trichloroacetic acid, for human papillomavirus infections, 641
- Trichomoniasis, 581, 641–643
- Trimethoprim-sulfamethoxazole
 for *Pneumocystis carinii* pneumonia prevention, 733
 for toxoplasmosis prevention, 720
 for urinary tract infections, asymptomatic bacteriuria, 752
- Trypanosomiasis, stillbirth in, 530
- Tuberculin skin test, 742–743

- Tuberculosis
 maternal, 739–747
 clinical presentation of, 741
 diagnosis of, 742–743
 epidemiology of, 739
 extrapulmonary, 741
 miliary, 741–742
 resurgence of, 739
 risk factors for, 740
 transmission of, 739–741
 treatment of, 743–745
 neonatal, 742
- Tularemia, 772
- U**
-
- Ulcers, genital, in chancroid, 636
- Ultrasonography
 in appendicitis, 795
 in cholecystitis, 794–795
 in infections, 791
 in liver infections, 794
 in pancreatitis, 796
 in pyelonephritis, 798
- Urea urealyticum* infections
 preterm birth in, 538–539
 stillbirth in, 528, 531
 treatment of, 581
- Urinary tract infections, 749–764, 798–799
 asymptomatic bacteriuria in, 582, 749–753
 cystitis, 750, 753–754
 neonatal effects of, 760
 pyelonephritis, 750, 754–760, 798–799
 radiography in, 798–799
 research on, 760–761
- Urine culture
 in bacteriuria, 750–751
 in pyelonephritis, 755
- V**
-
- Vaccines
 for cytomegalovirus, 680–681
 for group B streptococci, 605, 608
 for herpes simplex virus, 666–667
 for influenza, 731
 for smallpox, 772
 for varicella, 689–690
- Vagina, antisepsis for, for neonatal sepsis prevention, 610

- Valacyclovir, for herpes simplex virus infections, 664–665
- Vancomycin
 for group B streptococcal infections, 583, 611
 for neonatal sepsis prevention, 607
- Varicella-zoster virus infections
 maternal, 683–690
 clinical presentation of, 683–684
 complications of, 686–688
 diagnosis of, 684–685
 herpes zoster in, 689
 pneumonia in, 684, 686–687, 733
 post-exposure prophylaxis for, 685
 prenatal diagnosis of, 688
 stillbirth in, 530
 treatment of, 685–686
 vaccines for, 689–690
 virology of, 683
 neonatal, 688–689
- Variola virus infections, 530, 771–772
- Viral hemorrhagic fevers, 773
- Viral infections. *See also specific infections.*
 hepatitis, radiography in, 794
 mental retardation in, 535–536
 preterm birth in, 543
 stillbirth in, 530
- Vulvovaginal candidiasis, 645–647
- W**
-
- Warts, genital, 640–641
- West Nile virus infections, 766–767
- Whiff test, in bacterial vaginosis, 619, 644
- White blood cell count, in amniotic fluid, in infections, 590

- Y**
-
- Yellow fever, 773
- Yersinia pestis* infections, 772

- Z**
-
- Zanamivir, for influenza, 730–731